

TECHNICAL SPECIFICATION

Bathroom Downlights - GL120E



Technical data

- Nominal voltage: 230V/50Hz
- Lamp power: max 15W
- Lampholder designation: E27
- Type of light source (not included commercial kit): 2pcs Compact fluorescent lamps with socket E27, max.20W
- Body material: Sheet steel with aluminium ring
- Diffuser: Glass with matt round
- Reflector: Aluminium mirror
- Type of Installation : Recessed mounting
- Body color: white, satin nickel
- Dust and humidity protection level: IP44/IP20
- Protection against electric shock: I
- Protection against ignition and fire: Class F

Areas of application

- Bathrooms
- Damp spots

Product benefits


- Safety
- Stylish design
- Easy fixing

Variants and dimensions



Model	Size (mm)			Colour body	Catalogue number	Packin g (pcs)
	Diameter	Height	Diameter 1			
GL120E-4	140	165	120	white	929944120E4/W	40
GL120E-4	140	165	120	satin nickel	929944120E4/TCH	40
GL120E-6	190	200	170	white	929944120E6/W	24
GL120E-6	190	200	170	Satin nickel	929944120E6/TCH	24

Energy efficiency



Barcodes

Barcode	Catalogue number
3800131168276	929944120E4/W
3800131168283	929944120E4/TCH
3800131168290	929944120E6/W
3800131168306	929944120E6/TCH

Standards

EN 60598-1

EN 60598-2-2

